



GATEWAY SLIDING BUG BARRIER® & VINYL DOORS


Gateway doors are manufactured to customer specification with heavy duty industrial components made to withstand the wear and tear of everyday use in facilities, warehouses and salt domes.

- > Economical Solution for Large Spaces
- > Virtually Maintenance Free
- > Helps meet FDA/AIB requirements
- > Custom Sizes Available

- Available in Bi-Parting and Single Slide Operation
- > Available in Screen & Solid Vinyl


SINGLE SLIDE OPERATION

Single Slide Bug Barrier® Doors are manually operated. The curtain is fixed to one side of the jamb and locks on the other. Fixed side is determined from access side (interior or exterior).



BI PARTING OPERATION

Bi-Parting Bug Barrier® Doors are manually operated. Bi-Parting door is fixed to both jambs and locks in center. Leading edges of curtain overlap to seal.



OVERVIEW

All Gateway Sliding Doors come standard with a vinyl header curtain and nylon cord tiebacks to hold the curtain in place when not in use. A pulley system is available for ease of opening (standard on doors over 18' high).

MOUNTING OPTIONS:

Header Mount (In Jamb)

Face of Wall Mount

CURTAIN OPTIONS:

BUG BARRIER® SCREEN

Bug screen provides up to 35% airflow / 65% shade. **Standard Colors:** Green, Blue, Black, Yellow



*Custom Colors are available with an up charge.

Standard Bug Screen: 17x11 High Strength weave mesh

OPTIONAL: Gnat Screen - 17x20 weave mesh

(BLACK ONLY)

OPTIONAL: Bird Screen - 5 x 6 weave mesh

(BLACK ONLY)

Material: Vinyl coated polyester yarn

Door Size: Door sizes available up to 40' W or 40' H

SOLID VINYL

Aids in controlling dust and temperature. **Standard Colors:** Green, Blue, Black, Yellow



*Custom Colors are available with an up charge.

Standard Vinyl: 22 Ounce

OPTIONAL: 40 Ounce Premium

Puncture resistant up to 225 lbs

Low temperature resistant to -40 F

Door Size: Doors sizes available up to 34' W or 30' H

TRACK:

1-1/2" Wide 16 gauge galvanized steel sliding track
Heavy duty ball bearing trolleys provide long lasting easy glide operation.

STABILIZATION:

Full-height, 1-1/4" diameter galvanized pipe staff enclosed in Vinyl Pockets – Standard Safety Yellow

5/8" Steel cane bolt floor locking pins at each pipe staff

HEAD ROOM / SIDE ROOM REQUIREMENTS:

3.5" Head Room (In Jamb or Header Mount)

5.5" Head Room (Wall Mount)

Curtain material will take up approximately 1" per foot when bunched.





Bug Barrier® Single Slide (In Jamb Mount)

Vinyl Bi-Parting (Wall Mount) Salt Dome Storage

Bug Barrier® Single Slide (Wall Mount)

GATEWAY INDUSTRIAL PRODUCTS, INC SLIDING DOORS

VINYL DOORS & BUG BARRIER®

